

**dji** ENTERPRISE



# DJI MAVIC 3 ENTERPRISE SERIES

Your Everyday Commercial Drone



The Mavic 3 Enterprise redefines industry standards for small commercial drones. With a mechanical shutter, a 56× zoom camera, and an RTK module for centimeter-level precision, the Mavic 3E brings mission efficiency to new heights. A thermal version is available for firefighting, search and rescue, inspection, and night operations.

## Two Models, Countless Applications

### DJI MAVIC 3E

Wide: 4/3 CMOS, 20 MP, Mechanical Shutter

Zoom: Equivalent Focal Length 162mm, 12MP, 56× Hybrid Zoom

### DJI MAVIC 3T

Wide: Equivalent Focal Length 24mm, 48MP

Zoom: Equivalent Focal Length 162mm, 12MP, 56× Hybrid Zoom

Thermal <sup>(1)</sup>: DFOV: 61°, Equivalent Focal Length 40mm,  
Resolution 640 × 512

## Premium Camera Performance

- HD Wide Camera
- Smart Low-Light Photo
- Thermal
- Synchronized Split-Screen Zoom

## Compact and Portable

- Lightweight 915g/920g airframe <sup>[2]</sup>
- Compact body that fits in the palm of your hand
- Perfect for beginners and veteran pilots alike

## Ultra-long battery life

- 45-min max flight time <sup>[3]</sup>
- 100W charging hub for fast charging batteries
- 88W drone direct charging

## Flagship Flight Safety

- Wide-angle lenses for omnidirectional obstacle sensing with zero blind spots <sup>[4]</sup>
- Advanced RTH
- APAS 5.0 for automatic rerouting around obstacles <sup>[5]</sup>

## Abundant Accessories

- DJI RC Pro Enterprise <sup>[6]</sup>
- RTK Module <sup>[7]</sup>
- Loudspeaker <sup>[7]</sup>
- D-RTK 2 Mobile Station <sup>[7]</sup>

## Full Software Suite

- DJI Pilot 2
- DJI FlightHub 2
- DJI Terra
- DTAT 3.0

1. DO NOT expose the thermal camera lenses to strong sources of energy such as the sun, lava, or a laser beam. Otherwise, the camera sensor may be burned leading to permanent damage.

2. DJI Mavic 3E (with propellers) 915 grams; DJI Mavic 3T (with propellers) 920 grams.

3. Measured at 32.4 km/h uniform speed at sea level in a windless environment until battery was fully drained to 0%.

4. Omnidirectional sensing capability is limited by environmental conditions like weather and electromagnetic interference. Please fly with caution when working in challenging conditions (e.g. wind speeds over 12 m/s)

5. Supported in manual flight mode only. Caution is recommended when flying in hazardous environments.

6. Currently available only with the purchase of DJI Mavic 3 Enterprise Series.

7. Accessories sold separately.



حاضر لئنظمة الأامن والابتصالات ذ.م.م

[www.hscsystem.com](http://www.hscsystem.com)